



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/760,647	01/17/2001	Naoto Kinjo	Q62079	3441

7590 01/25/2006
SUGHRUE, MION, ZINN, MACPEAK & SEAS
2100 Pennsylvania Avenue, N.W.
Washington, DC 20037

EXAMINER

JONES, HEATHER RAE

ART UNIT PAPER NUMBER

2616

DATE MAILED: 01/25/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/760,647	Applicant(s) KINJO, NAOTO	
	Examiner Heather R. Jones	Art Unit 2616	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 August 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 and 17-23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 and 17-23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 17 January 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claims 1-15 and 17-23 have been considered but are moot in view of the new ground(s) of rejection. Upon further consideration, a new ground(s) of rejection is made in view of a different interpretation of the previously applied Allen et al. reference.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-15 and 17-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tullis (U.S. Patent 6,535,243) in view of Allen et al. (U.S. Patent 5,737,491).

Regarding claim 1, Tullis discloses an image processing method comprising the steps of: receiving at least one of photographed image data, temporary camera control information, additional information and indication information of a desired processing content from a camera (40) (col. 2, lines 46-48; col. 6, lines 26-33); and reasoning out or creating at least one information of information relating to photographing control, information relating to image processing and information relating to a photographed image, in accordance with

the at least one of the photographed image data, the temporary camera control information, the additional information and the indication information which have been received (col. 2, lines 58-65), wherein the at least one of temporary camera control information, additional information and indication information of a desired processing content from the camera (40) relates to the photographed image data obtained by photographing with the camera (40) (col. 2, lines 58-65; col. 6, lines 26-33). However, Tullis fails to disclose an image processing method wherein the camera is connected with plural types of external apparatuses wherein an order of priority of preliminary set among the plural types of the external apparatuses; and wherein image processing is performed to the priority of the plural types of external apparatuses.

Referring to the Allen et al. reference, Allen et al. discloses a camera (10) that is connected to one or more portable external apparatus (42, 46, 48) (Fig. 1; once the camera is connected to the image fulfillment center (34) the fulfillment center branches out to different secondary transmission channels, a recording device, and a printer). Priority amongst the different apparatuses is set preliminarily set before the image data is sent to the image fulfillment center, which come in the form as control signals attached to the image data (col. 4, lines 21-22). Once the image fulfillment center (34) receives the image data the image processing is performed to the priority of the plural types of external devices (col. 4, lines 24-28).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have connected the camera to one or more external apparatus as taught by Allen et al. with the camera in the Tullis reference in order to allow the camera to send image data to external apparatuses for different image data processing (printing, recording, and transmitting).

Regarding claim **2**, Tullis in view of Allen et al. discloses all the limitations as previously discussed with respect to claim 1 including the information relating to the photographed image is information related to a subject or a photographing condition (col. 6, lines 26-33; col. 3, lines 6-11).

Regarding claim **3**, Tullis in view of Allen et al. discloses all the limitations as previously discussed with respect to claim 1, including the at least one information reasoned out or created is supplied to the camera (40) (col. 2, line 65 col. 3, line 1).

Regarding claim **4**, Tullis in view of Allen et al. discloses all the limitations as previously discussed with respect to claim 1, including that the step of receiving the at least one of the photographed image data, the temporary camera control information, the additional information and the indication information from the camera (40) and the step of supplying the at least one information to the camera (40) are performed by wired or radio communications (col. 2, lines 40-43).

Regarding claim 5, Tullis in view of Allen et al. discloses all the limitations as previously discussed with respect to claim 1, including that the information relating to the photographed image is principal subject information reasoned out or created in accordance with the photographed image data, wherein the information relating to the photographing control is at least one of camera control information set in accordance with the principal subject information and camera position information reasoned out or created in accordance with the photographed image data and photographing place information as the additional information, and wherein at least one of the principal subject information, the camera control information and the camera position information is supplied to the camera (40) (col. 3, lines 6-11 and 26-30; col. 6, lines 26-33 – the zoom factor being adjusted would changed the camera (40) position according to the subject in the photograph).

Regarding claim 6, Tullis in view of Allen et al. discloses all the limitations as previously discussed with respect to claim 1, including that the additional information is at least one of information relating to deterioration of marginal lumination of the camera (40), information relating to poor focus of the camera (40), information relating to gradation control of density or color of an image, information relating to sharpness enhancement processing or smoothing processing of the image, information relating to geometrical adjustment of the image and information relating to designation of an applicable area of these image processing, and wherein the information relating to the image processing

is reasoned out or created in accordance with the additional information received from the camera (40) (col. 2, line 58 – col. 2, line 11; col. 6, lines 26-33).

Regarding claim 7, Tullis in view of Allen et al. discloses all the limitations as previously discussed with respect to claim 1. Furthermore, Tullis discloses an image processing method wherein the additional information is at least one of information related to an image to be composited in an output image and information related to a character to be composited in the output image, wherein at least one of information related to a composite image and information related to a composite character is reasoned out or created in accordance with the additional information received from the camera (40), and wherein at least one of the information related to the composite image and the information related to the composite character which have been reasoned out or created is supplied to the camera (40) (col. 3, lines 26-30; col. 7, lines 58-63). The time and/or date are included with the image data as it is sent to the host computer. Furthermore, it is well known in the art that the time and/or date is an image that is composited in the output image when the image is printed. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have combined the teaching of printing the time and/or date on the image to be sent to the host computer to be reasoned out and sent back to camera (40) to display the image with the time and/or date so the user would know when the image was taken. Furthermore, the host computer is able to search for other pictures taken around that time or date.

Regarding claim 8, Tullis discloses an image processing apparatus comprising: a receiving/supplying unit which receives at least one of photographed image data, temporary camera control information, additional information and indication information of a desired processing content from a camera (40) having an image sensor and capable of obtaining the photographed image data (col. 2, lines 46-48); and an information processing unit (10) which reasons out or creates at least one information of information relating to photographing control, information relating to image processing and information relating to a photographed image in accordance with the at least one of the photographed image data, the temporary camera control information, the additional information and the indication information (col. 2, lines 58-65), wherein the at least one of temporary camera control information, additional information and indication information of a desired processing content from the camera (40) relates to the photographed image data obtained by photographing with the camera (40) (col. 2, lines 58-65; col. 6, lines 26-33). However, Tullis fails to disclose an image processing method wherein the camera is connected with plural types of external apparatuses wherein an order of priority of preliminary set among the plural types of the external apparatuses; and wherein image processing is performed to the priority of the plural types of external apparatuses.

Referring to the Allen et al. reference, Allen et al. discloses a camera (10) that is connected to one or more portable external apparatus (42, 46, 48) (Fig. 1; once the camera is connected to the image fulfillment center (34) the fulfillment

center branches out to different secondary transmission channels, a recording device, and a printer). Priority amongst the different apparatuses is set preliminarily set before the image data is sent to the image fulfillment center, which come in the form as control signals attached to the image data (col. 4, lines 21-22). Once the image fulfillment center (34) receives the image data the image processing is performed to the priority of the plural types of external devices (col. 4, lines 24-28).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have connected the camera to one or more external apparatus as taught by Allen et al. with the camera in the Tullis reference in order to allow the camera to send image data to external apparatuses for different image data processing (printing, recording, and transmitting).

Regarding claim **9**, Tullis in view of Allen et al. discloses all the limitations as previously discussed with respect to claim 8, including that the information processing unit supplies the at least one information reasoned out or created to the camera (40) by the receiving/supplying unit in accordance with processing to be performed (col. 2, line 65 col. 3, line 1).

Regarding claim **10**, Tullis in view of Allen et al. discloses all the limitations as previously discussed with respect to claim 8, including that the receiving/supplying unit is an information communication unit (col. 2, lines 40-43).

Regarding claim **11**, Tullis in view of Allen et al. discloses all the limitations as previously discussed with respect to claim 8, including that the information relating to the photographed image is principal subject information reasoned out or created in accordance with the photographed image data, wherein the information relating to the photographing control is at least one of camera control information set in accordance with the principal subject information and camera position information reasoned out or created in accordance with the photographed image data and photographing place information as the additional information, and wherein the information processing unit supplies at least one of the principal subject information, the camera control information and the camera position information which have been reasoned out or created to the camera (40) by the receiving/supplying unit (col. 3, lines 6-11 and 26-30; col. 6, lines 26-33 – the zoom factor being adjusted would changed the camera (40) position according to the subject in the photograph).

Regarding claim **12**, Tullis in view of Allen et al. discloses all the limitations as previously discussed with respect to claim 8, including that the additional information is at least one of information relating to deterioration of marginal lumination of the camera (40), information relating to poor focus of the camera (40), information relating to gradation control of density or color of an image, information relating to sharpness enhancement processing or smoothing processing of the image, information relating to geometrical adjustment of the image and information relating to designation of an applicable area of these

image processing, and wherein the information relating to the image processing is reasoned out or creates the information in accordance with the additional information which has been received (col. 2, line 58 – col. 2, line 11; col. 6, lines 26-33).

Regarding claim **13**, Tullis in view of Allen et al. discloses all the limitations as previously discussed with respect to claim 1. Furthermore, Tullis discloses an image processing method wherein the additional information is at least one of information related to an image to be composited in an output image and information related to a character to be composited in the output image, wherein the information processing unit reasons out or creates at least one of information related to a composite image and information related to a composite character in accordance with the additional information which has been received and supplies at least one of the information related to the composite image and the information related to the composite character which have been reasoned out or created to the camera (40) (col. 3, lines 26-30; col. 7, lines 58-63). The time and/or date are included with the image data as it is sent to the host computer. Furthermore, it is well known in the art that the time and/or date is an image that is composited in the output image when the image is printed. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have combined the teaching of printing the time and/or date on the image to be sent to the host computer to be reasoned out and sent back to camera (40) to display the image with the time and/or date so the user would know when the

image was taken. Furthermore, the host computer is able to search for other pictures taken around that time or date.

Regarding claim **14**, Tullis discloses a camera (40) comprising: an image sensor (48) for obtaining photographed image data; an input unit for inputting at least one of additional information and indication information of a desired processing content (64) (Fig. 2); and an information sending/receiving unit (14 and 72) for sending at least one of the photographed image data which has been obtained, temporary camera control information which has temporarily been set, the additional information which has been inputted and the indication information which has been inputted to an image processing apparatus, as well as, receives at least one information of information relating to photographing control, information relating to image processing and information relating to photographed image which have been reasoned out or created by the image processing apparatus in accordance with the at least one of the photographed image data, the temporary camera control information, the additional information and the indication information, from the image processing apparatus (col. 2, lines 46-48 and 58-65; col. 6, lines 26-33), wherein the at least one of the temporary camera control information, the additional information and the indication information relates to the photographed image data obtained by photographing with the camera (40) (col. 2, lines 58-65; col. 6, lines 26-33). However, Tullis fails to disclose an image processing method wherein the camera is connected with plural types of external apparatuses wherein an order of priority of

preliminary set among the plural types of the external apparatuses; and wherein image processing is performed to the priority of the plural types of external apparatuses.

Referring to the Allen et al. reference, Allen et al. discloses a camera (10) that is connected to one or more portable external apparatus (42, 46, 48) (Fig. 1; once the camera is connected to the image fulfillment center (34) the fulfillment center branches out to different secondary transmission channels, a recording device, and a printer). Priority amongst the different apparatuses is set preliminarily set before the image data is sent to the image fulfillment center, which come in the form as control signals attached to the image data (col. 4, lines 21-22). Once the image fulfillment center (34) receives the image data the image processing is performed to the priority of the plural types of external devices (col. 4, lines 24-28).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have connected the camera to one or more external apparatus as taught by Allen et al. with the camera in the Tullis reference in order to allow the camera to send image data to external apparatuses for different image data processing (printing, recording, and transmitting).

Regarding claim **15**, Tullis discloses a photographing system comprising: a camera (40); and an image processing apparatus (10); wherein the camera (40) comprises: an image sensor (48) for obtaining photographed image data; an

input unit (64) for inputting at least one of additional information and indication information of a desired processing content; and an information sending/receiving unit (72) for sending at least one of the photographed image data which has been obtained, temporary camera control information which has temporarily been set, the additional information which has been inputted and the indication information which has been inputted to the image processing apparatus, as well as, receives at least one information of information relating to photographing control, information relating to image processing and information relating to a photographed image which have been reasoned out or created by the image processing apparatus in accordance with the at least one of the photographed image data, the temporary camera control information, the additional information and the indication information, from the image processing apparatus; and wherein the image processing apparatus comprises: a receiving/supplying unit which receives the at least one of the photographed image data, the temporary camera control information, the additional information and the indication information from the camera (40) (Fig. 2; col. 2, lines 26-33 and 58-65; col. 6, lines 26-33); and an information processing unit (10) which reasons out or creates the at least one information of the information relating to the photographing control, the information relating to the image processing and the information relating to the photographed image in accordance with the at least one of the photographed image data, the temporary camera control information, the additional information and the indication information, wherein the

at least one of the temporary camera control information, the additional information and the indication information relates to the photographed image data obtained by photographing with the camera (40) (Fig. 2; col. 2, lines 26-33 and 58-65; col. 6, lines 26-33). However, Tullis fails to disclose an image processing method wherein the camera is connected with plural types of external apparatuses wherein an order of priority of preliminary set among the plural types of the external apparatuses; and wherein image processing is performed to the priority of the plural types of external apparatuses.

Referring to the Allen et al. reference, Allen et al. discloses a camera (10) that is connected to one or more portable external apparatus (42, 46, 48) (Fig. 1; once the camera is connected to the image fulfillment center (34) the fulfillment center branches out to different secondary transmission channels, a recording device, and a printer). Priority amongst the different apparatuses is set preliminarily set before the image data is sent to the image fulfillment center, which come in the form as control signals attached to the image data (col. 4, lines 21-22). Once the image fulfillment center (34) receives the image data the image processing is performed to the priority of the plural types of external devices (col. 4, lines 24-28).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have connected the camera to one or more external apparatus as taught by Allen et al. with the camera in the Tullis reference in order to allow the camera to send image data to external

apparatuses for different image data processing (printing, recording, and transmitting).

Regarding claim **17**, Tullis in view of Allen et al. discloses all the limitations as previously discussed with respect to claim 15, including that the information processing apparatus is a portable external apparatus which is directly connectable to the camera (40) or an installation-type apparatus which can communicate with the camera (40) (Fig. 2, the computer may be directly connected to the camera using wires).

Regarding claim **18**, Tullis in view of Allen et al. discloses all the limitations as discussed with respect to claims 15 and 17. Furthermore, Allen et al. discloses a camera (10) that is connected to an image processing apparatus (34) that is installed in a lab shop (col. 1, lines 60-64).

Regarding claim **19**, Tullis in view of Allen et al. discloses all the limitations as discussed with respect to claim 15. Furthermore, Allen et al. discloses a camera (10) that is connected to one or more portable external apparatus (27). Official Notice is taken that an order of priority is preliminary set among the one or more portable external apparatus, and performing image processing according to the priority of the one or more portable external apparatus. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made that there exists an order of priority among one or more external apparatus connected to a camera in order for the camera to except information from the external apparatus and be able to process it completely because if no priority

was set then the camera would be receiving information from all external sources and may be processing them in the wrong order, which could ruin the image.

Regarding claim **20**, Tullis discloses an image processing method comprising the steps of: receiving photographed image data and at least one of temporary camera control information, additional information and indication information of a desired processing content from a camera (40) (col. 2, lines 46-48; col. 6, lines 26-33); and reasoning out or creating at least one of information relating to photographing control, information relating to image processing and information relating to a photographed image, in accordance with the photographed image data and at least one of the temporary camera control information, the additional information and the indication information which have been received (col. 2, lines 58-65). However, Tullis fails to disclose an image processing method wherein the camera is connected with plural types of external apparatuses wherein an order of priority of preliminary set among the plural types of the external apparatuses; and wherein image processing is performed to the priority of the plural types of external apparatuses.

Referring to the Allen et al. reference, Allen et al. discloses a camera (10) that is connected to one or more portable external apparatus (42, 46, 48) (Fig. 1; once the camera is connected to the image fulfillment center (34) the fulfillment center branches out to different secondary transmission channels, a recording device, and a printer). Priority amongst the different apparatuses is set preliminarily set before the image data is sent to the image fulfillment center,

which come in the form as control signals attached to the image data (col. 4, lines 21-22). Once the image fulfillment center (34) receives the image data the image processing is performed to the priority of the plural types of external devices (col. 4, lines 24-28).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have connected the camera to one or more external apparatus as taught by Allen et al. with the camera in the Tullis reference in order to allow the camera to send image data to external apparatuses for different image data processing (printing, recording, and transmitting).

Regarding claim **21**, Tullis discloses an image processing apparatus comprising: a receiving/supplying unit which receives photographed image data and at least one of temporary camera control information, additional information and indication information of a desired processing content from a camera (40) having an image sensor and capable of obtaining the photographed image data (col. 2, lines 46-48); and an information processing unit (10) which reasons out or creates at least one information of information relating to photographing control, information relating to image processing and information relating to a photographed image in accordance with the at least one of the photographed image data, the temporary camera control information, the additional information and the indication information (col. 2, lines 58-65). However, Tullis fails to disclose an image processing method wherein the camera is connected with

plural types of external apparatuses wherein an order of priority of preliminary set among the plural types of the external apparatuses; and wherein image processing is performed to the priority of the plural types of external apparatuses.

Referring to the Allen et al. reference, Allen et al. discloses a camera (10) that is connected to one or more portable external apparatus (42, 46, 48) (Fig. 1; once the camera is connected to the image fulfillment center (34) the fulfillment center branches out to different secondary transmission channels, a recording device, and a printer). Priority amongst the different apparatuses is set preliminarily set before the image data is sent to the image fulfillment center, which come in the form as control signals attached to the image data (col. 4, lines 21-22). Once the image fulfillment center (34) receives the image data the image processing is performed to the priority of the plural types of external devices (col. 4, lines 24-28).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have connected the camera to one or more external apparatus as taught by Allen et al. with the camera in the Tullis reference in order to allow the camera to send image data to external apparatuses for different image data processing (printing, recording, and transmitting).

Regarding claim **22**, Tullis discloses a camera (40) comprising: an image sensor (48) for obtaining photographed image data; an input unit for inputting at least one of additional information and indication information of a desired

Art Unit: 2616

processing content (64) (Fig. 2); and an information sending/receiving unit (14 and 72) for sending photographed image data which has been obtained and at least one of temporary camera control information which has temporarily been set, the additional information which has been inputted and the indication information which has been inputted to an image processing apparatus, as well as, receives at least one information of information relating to photographing control, information relating to image processing and information relating to photographed image which have been reasoned out or created by the image processing apparatus in accordance with the photographed image data and at least one of the temporary camera control information, the additional information and the indication information, from the image processing apparatus (col. 2, lines 46-48 and 58-65; col. 6, lines 26-33). However, Tullis fails to disclose an image processing method wherein the camera is connected with plural types of external apparatuses wherein an order of priority of preliminary set among the plural types of the external apparatuses; and wherein image processing is performed to the priority of the plural types of external apparatuses.

Referring to the Allen et al. reference, Allen et al. discloses a camera (10) that is connected to one or more portable external apparatus (42, 46, 48) (Fig. 1; once the camera is connected to the image fulfillment center (34) the fulfillment center branches out to different secondary transmission channels, a recording device, and a printer). Priority amongst the different apparatuses is set preliminarily set before the image data is sent to the image fulfillment center,

which come in the form as control signals attached to the image data (col. 4, lines 21-22). Once the image fulfillment center (34) receives the image data the image processing is performed to the priority of the plural types of external devices (col. 4, lines 24-28).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have connected the camera to one or more external apparatus as taught by Allen et al. with the camera in the Tullis reference in order to allow the camera to send image data to external apparatuses for different image data processing (printing, recording, and transmitting).

Regarding claim **23**, Tullis discloses a photographing system comprising: a camera (40); and an image processing apparatus (10); wherein the camera (40) comprises: an image sensor (48) for obtaining photographed image data; an input unit (64) for inputting at least one of additional information and indication information of a desired processing content; and an information sending/receiving unit (72) for sending the photographed image data which has been obtained and at least one of temporary camera control information which has temporarily been set, the additional information which has been inputted and the indication information which has been inputted to the image processing apparatus, as well as, receives at least one information of information relating to photographing control, information relating to image processing and information relating to a photographed image which have been reasoned out or created by

the image processing apparatus in accordance with the at least one of the photographed image data, the temporary camera control information, the additional information and the indication information, from the image processing apparatus; and wherein the image processing apparatus comprises: a receiving/supplying unit which receives the at least one of the photographed image data, the temporary camera control information, the additional information and the indication information from the camera (40) (Fig. 2; col. 2, lines 26-33 and 58-65; col. 6, lines 26-33); and an information processing unit (10) which reasons out or creates the at least one information of the information relating to the photographing control, the information relating to the image processing and the information relating to the photographed image in accordance with the photographed image data and at least one of the temporary camera control information, the additional information and the indication information (Fig. 2; col. 2, lines 26-33 and 58-65; col. 6, lines 26-33). However, Tullis fails to disclose an image processing method wherein the camera is connected with plural types of external apparatuses wherein an order of priority of preliminary set among the plural types of the external apparatuses; and wherein image processing is performed to the priority of the plural types of external apparatuses.

Referring to the Allen et al. reference, Allen et al. discloses a camera (10) that is connected to one or more portable external apparatus (42, 46, 48) (Fig. 1; once the camera is connected to the image fulfillment center (34) the fulfillment center branches out to different secondary transmission channels, a recording

device, and a printer). Priority amongst the different apparatuses is set preliminarily set before the image data is sent to the image fulfillment center, which come in the form as control signals attached to the image data (col. 4, lines 21-22). Once the image fulfillment center (34) receives the image data the image processing is performed to the priority of the plural types of external devices (col. 4, lines 24-28).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have connected the camera to one or more external apparatus as taught by Allen et al. with the camera in the Tullis reference in order to allow the camera to send image data to external apparatuses for different image data processing (printing, recording, and transmitting).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Heather R. Jones whose telephone number is 571-272-7368. The examiner can normally be reached on Mon. - Thurs.: 7:00 am - 4:30 pm, and every other Fri.: 7:00 am - 3:30 pm.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Groody can be reached on 571-272-7950. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Heather R Jones
Examiner
Art Unit 2616

HRJ
January 23, 2006


James J. Groody
Supervisory Patent Examiner
Art Unit 262 2616